



A&T[™]



JSC Pro


PTZ Camera
joystick controller



PAN / TILT /
ZOOM SPEED CONTROL




UPTO 7
PTZ CAMERAS



MULTIPLE CONTROL
INTERFACES



VISCA &
ONVIF



JOYSTICK

SPECIFICATION



| Parameters | |
|-----------------------|--|
| White Balance | Button, Auto, Indoor, Outdoor, one Push, Manual |
| Exposure | Button, Auto, Manual, Shutter priority, Iris Priority |
| Shortcut Button | Bright Adjustment, Exposure Gain, BLC Focus Model Selection, OSD |
| Shortcut Knob | R/B gain, Iris, Pan/Tilt Speed (1-8 steps), Zoom speed (1-8 step) |
| Protocol | VISCA, SONY VISCA, ONVIF |
| Output | RS422, RS232, RS485, RJ45 |
| Support PoE+ | Yes |
| Joystick | 4D joystick |
| Screen | TFT LCD 320x240 |
| Power Consumption | <6W |
| Power | DC12V-2A |
| Work Temperature | 10° C ~ +55° C / 14° F ~ 131° F |
| Work Humidity | 20% ~ 80% (non - condetion) |
| Dimensions(L x W x H) | 321.6mm x 179.2mm x 105.7mm |
| Weight | 1.63kg |

+91 452 4392222

sales@atnetindia.net

www.atnetindia.net